



NORDTEST DOC GEN 010

EN ISO 9712/NORDTEST SCHEME

for examination and certification of non destructive testing personnel

Key words: Non-destructive testing, NDT, examination rules, EN ISO 9712/NORDTEST SCHEME

NT Doc Gen 010 edition 6.1
Approved 2013-10

CONTENTS

- 1. Introduction to EN ISO 9712/Nordtest scheme 1
- 2 Organisational structure of EN ISO 2
 - 2.1 Nordic Innovation Centre Board and secretariat 2
 - 2.2 Nordtest Technical Group for NDT (TG NDT) 2
 - 2.3 Advisory board for the certification body ... 3
 - 2.4 Certification body 3
 - 2.5 Panels of Examiners 4
 - 2.6 Nordtest Testing Organisation (NTO) 4
- 3 Eligibility for certification 5
 - 3.1 Training 5
 - 3.2 Industrial NDT experience 5
- 4 Examination 5
 - 4.1 Re-examination 5
 - 4.2 Sectors for examination 5
 - 4.3 Detailed examination requirements, level 1 and 2 6
 - 4.4 Detailed examination requirements, level 3 6
 - 4.5 Conduct of examinations 7
- 5 Recertification: 7
- 6 Transition of certificates to new system 7
- 7. Code of ethics 7
- 8. Procedure for claims 8
 - 8.1 The complaint 8
 - 8.2 The appeal 8
- 9. Valid documents 8

1. Introduction to EN ISO 9712/Nordtest scheme

The European standard EN 473, "Qualification and certification of NDT personnel - General principles" was at first issued in January 1993 and has now again been revised and issued as EN ISO 9712:2012 Non-destructive testing - Qualification and certification of NDT personnel.

This six'th edition of DOC GEN 010 replaces all earlier editions, appendixes and amendments.

The Nordtest scheme for examination and certification of non-destructive testing personnel is the main scheme for certification of NDT-personnel in the Nordic countries. It provides a uniform level of qualifications of the personnel, which is acknowledged, accepted and sometimes demanded by authorities and users of NDT in most industrial areas.

EN ISO 9712:2012 includes general requirements related to examination and

certification. Requirements to the technical content, principles for judgement or level of quality in the examination are not precisely described in EN ISO 9712. It is therefore necessary to have additional documents defining the examinations. This sixth edition of NORDTEST DOC GEN 010 provides the detailed requirements, which assure a uniform performance of examinations and certification.

This edition of NORDTEST DOC GEN 010 includes only additional requirements of the EN ISO 9712/Nordtest scheme and some clarifications. The text of EN ISO 9712 standard is valid in all other cases as such also in the EN ISO 9712/Nordtest scheme. Specific requirements and descriptions are found in NORDTEST DOC GEN 010 and in the Handbook for Nordtest Certifying Bodies (in the following called the Handbook). The Handbook includes confidential material, which is handed over only to the Certifying Bodies.

EN ISO 9712 includes reference to ISO/IEC 17024, which includes the requirements for accreditation of personnel certification bodies. This edition of NORDTEST DOC GEN 010 updates the scheme and complies with EN ISO 9712:2012 and also meets the accreditation requirements. The requirements for a procedure for certification and surveillance required by ISO/IEC 17024 are fulfilled.

The requirements of examination and certification, as well as training before examination, have been developed to benefit the clients in all Nordic countries with regard to total quality.

The technical and economic development requires improvement of the EN ISO 9712/Nordtest scheme. New methods and techniques may be added and updating of the existing examinations and certification will take place. Changes will be included in revisions of this edition of DOC GEN 010 and in the Handbook. A list of valid documents is found in chapter 9.

The basic documents of the EN ISO 9712/Nordtest scheme are prepared by the TG NDT.

The certification bodies are responsible for the adoption of the documents of the EN ISO 9712/Nordtest scheme. All documents used by the certification bodies must be in accordance with the EN ISO 9712/Nordtest scheme, EN ISO 9712 and ISO/IEC 17024.

2. Organisational structure of EN ISO 9712/Nordtest scheme

Organs and their tasks and duties in the EN ISO 9712/Nordtest scheme are described below.

2.1 Nordtest secretariat

Nordtest has a secretariat, which will be the corresponding address for TG-NDT.

2.2 Nordtest Technical Group for NDT (TG NDT)

The Nordtest Technical Group consists of representatives from the Nordtest Certification Bodies (NCB). Every Nordtest Certification Body (NCB) has the right to be represented in the TG-NDT. Every NCB has one vote.

TG NDT has in the EN ISO 9712/Nordtest scheme the following responsibilities:

- a) Approval of the basic documents of the EN ISO 9712/Nordtest scheme including the NORDTEST DOC GEN 010, its amendments and annexes as well as the Handbook, which describes the certification scheme;
- b) Preparing the basic documents necessary for the operation of the EN ISO 9712/Nordtest scheme including the Handbook;
- c) Can recommend participants as technical experts for the initial accreditation audit of an organisation applying for accreditation as a certification body operating in accordance with the EN ISO 9712/Nordtest scheme. There should be a communication between the accrediting body and the TG NDT about the development of the EN ISO 9712/Nordtest scheme;
- d) Promoting and developing the EN ISO 9712/Nordtest scheme which may include new methods, techniques and developments within certification of NDT personnel on the international level;
- e) Collaborating with national and international bodies and preparing mutual recognition agreements by examining the equivalence and conformity with other NDT certification schemes and when relevant proposing approval of equivalence and conformity;
- f) Acting as a forum for discussions among the certification bodies concerning the operation and development of the EN ISO 9712/Nordtest scheme, co-ordinating and deciding upon matters regarding evaluation and interpretation of questions that need

clarification;

- g) Preparing and maintaining a list of certification bodies operating according to the EN ISO 9712/Nordtest scheme with information about the scope of their certification (e.g. methods and levels);
- h) When new methods or techniques are introduced in the EN ISO 9712/Nordtest scheme level 3 NDT persons for examiners shall be appointed in accordance with rules established by the TG NDT.
- i) When a new certifying body apply for membership in TG-NDT the group shall examine the new member in accordance with rules established by the TG-NDT.

2.3 Advisory board for the certification body

The certification body shall have an advisory (governing) board that by broad representativeness supports the certification process. The Advisory board may give suggestion for development of the system.

2.4 Certification body

Certification bodies operating according to the EN ISO 9712/Nordtest scheme must be accredited according to EN ISO/IEC 17024. TG NDT may be involved in the initial accreditation as described above.

The certification body shall provide a certificate to all certified persons. The certification body shall maintain sole ownership of the certificates.

In the EN ISO 9712/Nordtest scheme the certification body:

- a) shall initiate, promote, maintain and administer the certification scheme according to ISO/IEC 17024 and this International Standard;
- b) shall publish specifications for training courses that include the syllabi which embody the content of recognized documents, e.g. ISO/TR 25107 or equivalent;
- c) may delegate, under its direct responsibility, the detailed administration of qualification to authorized qualification bodies, to which it shall issue specifications and/or procedures covering facilities, personnel, calibration and control of NDT equipment, examination materials, specimens, conduct of examinations, examination grading, records, etc.;
- d) shall conduct an initial audit and subsequent periodic surveillance audits of the authorized

- qualification body(ies) to ensure their conformity to the specifications;
- e) shall monitor, in accordance with a documented procedure, all delegated functions;
- f) shall approve properly staffed and equipped examination centres which it shall monitor on a periodic basis;
- g) shall establish an appropriate system for the maintenance of records, which shall be retained for at least one certification cycle (10 years);
- h) shall be responsible for the issue of all certificates;
- i) shall be responsible for the definition of sectors (See EN ISO 9712 Annex A);
- j) shall be responsible for ensuring the security of all examination materials (specimens, master reports, question banks, examination papers, etc.) and shall ensure that specimens are not in use for training purposes;
- k) shall require all candidates and certificate holders to give a signed or stamped undertaking to abide by a code of ethics which it shall develop for the purpose and publish.
- l) shall initiate, promote, maintain and administer the certification scheme according to DOC GEN 010;
- m) review and approve applications for acceptance as a NTO;
- n) appoint examiners for participation in panels of examiners for exchange of experience, monitoring performance and development of the EN ISO 9712/Nordtest scheme.
- o) report annually to NICE about the certification activities as defined by TG NDT (number of certificates issued for each method and level).
- p) shall report the operation of the EN ISO 9712/Nordtest scheme to the advisory (governing) board

Note: Clauses a – k are identical with EN ISO 9712:2012 standard.

Normally the certification bodies are also examination centres, which perform the examinations. It may be relevant to establish further examination centres controlled by the certification bodies to accommodate particular industrial sectors and applications as well as regional requirements. Authorized qualifying

bodies are not used in the EN ISO 9712/Nordtest scheme.

2. 5 Panels of Examiners

The certification bodies appoint panels of examiners for the supervision and grading of examinations. The panel consists of at least two examiners for each method. A uniform level of competence in the Nordic countries is maintained through meetings of examiners where they exchange practical experiences in the use of the EN ISO 9712/Nordtest scheme.

2. 6 Nordtest Testing Organisation (NTO)

In order to issue the operating authorisation within the EN ISO 9712/Nordtest scheme, the organisation that the candidates work for must be registered by a certification body as a NDT organization that follows the EN ISO 9712/Nordtest scheme. Such an organisation is called a NTO.

NTO is an organisation performing NDT operations according to the EN ISO 9712/Nordtest scheme and is approved by a certification body. The NTO issues operating authorizations for its employees. The NTO may be a testing laboratory, an inspection company, a manufacturer's inspection department or an engineering company. To be accepted as an NTO the organisation must have or have access to a level 3 NDT person as responsible for its technical operations and a documented quality system for the NDT activities.

Every certification body shall establish a procedure for the approval of NTOs and keep a register of the NTOs it has approved. NDT organisations that are accredited according to EN/ISO 17025 or certified according to ISO EN 9001 and fullfills the requirements of EA-04/15, can automatically be registered as NTOs by a certification body. Alternatively the certification body can accept and register an NDT organisation if the organisation can document its competence in other acceptable ways (covering among other things a quality system and personnel qualifications).

In the EN ISO 9712/Nordtest scheme the NTO is the employer of the NTO personnel. The NTO must fulfil the following:

- a) The NTO Level 3 NDT responsible shall be certified according the EN ISO 9712/Nordtest scheme.
- b) The NTO guarantees that its certified NDT

operators follow the EN ISO 9712/Nordtest scheme

- c) The NTO shall supervise the work of the certified NDT operators
- d) The NTO must issue the operating authorisation annually by signing its NDT operators certificates. This verify that the demands which are stipulated in the EN ISO 9712/Nordtest scheme are fulfilled.

The issuing of the operating authorisation (signing of the certificate) for level 1 and 2 NDT personnel within the EN ISO 9712/Nordtest scheme is done under the responsibility of a appointed person. The operating authorisation for the level 3 NDT responsible persons shall be issued by the NTO management.

The operating authorization becomes invalid when the certified person terminates the employment.

Level 3 NDT responsible persons at an NTO shall:

- e) assure that the QA system for the NDT activities has been evaluated and is relevant;
- f) handle complaints including corrective actions in conjunction with NDT;
- g) record education, training, practical experience, continuous performance of duties and results of visual acuity test;
- h) act as an advisor with regard to selection, calibration and purchase of equipment

For NTO's with a parttime Level 3 NDT person the following monthly hours are recommended, depended on the number of Level 1 and 2 NDT operators at the NTO:

1-2 operators: 4 hours
 3-5 operators: 8 hours
 6-9 operators: 16 hours.

A candidate who is employed by a NTO will have a EN ISO 9712/Nordtest certificate issued. A candidate who is not an employee of a NTO may participate the Nordtest examinations; in this case a EN ISO 9712 certificate will be issued for the candidate. This EN ISO 9712 certificate can be changed to a EN ISO 9712/Nordtest certificate when the candidate becomes an employee of a NTO.

3. Eligibility for certification

3.1 Training

It is required for ET, RT og UT Level 2 that the candidate can set-up and calibrate the instrument before the level 2 training course.

The training courses should follow the guidelines of CEN/ISO/TR 25107 and CEN/ISO/TR 25108. It is recommended that a basic seminar for Level 3 is set-up and include the following:

Basic seminar (part A: General knowledge):

- EN ISO 9712/Nordtest scheme
- testing standards and recommendations (national and international)
- general specifications, testing procedures and work instructions for testing
- quality assurance, quality control and quality inspection
- characteristics and comparison of test methods
- material fabrication and welding technology
- defect characteristics and evaluation
- introduction to fracture mechanics and acceptance standards

Basic seminar (part C: NDT technique):

- methods
- instrumental techniques
- testing technique for specific products
- safety precautions
- standards and specifications for the method in question
- evaluation of defects and other imperfections
- other characteristics essential to the testing familiarity with other NDT methods

3.2 Industrial NDT experience

It is recommended that at least 50 % of the required practical experience is gained before the examination.

4. Examination

The Handbook related to the EN ISO 9712/Nordtest scheme includes the detailed requirements regarding the content of the certifications, examinations, description of test specimens, grading of the examinations and interpretations of the EN ISO 9712/Nordtest scheme. The Handbook is approved by the TG NDT and is followed by all certification bodies.

Examinations may, upon request, be arranged outside the premises of the certification body. Such premises shall be approved by the certification body.

4.1 Re-examination

Re-examination must be agreed beforehand between the person responsible for the candidate and the certification body with regard to selection of product or industrial sectors to be used in the re-examination. Once the programme has been decided it must be followed.

4.2 Sectors for examination

The sectors in the EN ISO 9712/Nordtest scheme are as follows:

4.2.1 Product sectors

- Castings (c)
- Forgings (f)
- Welds (w)
- Tubes and pipes (t)
- Wrought products (wp)
- Composite materials (p)

4.2.2 Industrial sectors

Industrial sectors are combining two or more product sectors. Test specimens shall be chosen taking the industrial sector into account.

- Manufacturing (IMA: comprising sectors c,f,w,t,wp)
- Pre- and inservice testing (includes manufacturing) (IPI: comprising sectors c,f,w,t,wp)
- Aerospace (IAE: comprising sectors c,f,w,t,wp)
- Railway maintenance (IRM: comprising sectors f and wp)

4.2.3 Multi sectors

Multi-sector (IMU: comprises all above mentioned industrial sectors)

The examinations for MT, PT, LT and VT are primarily done as multi-sectorial (IMU) for level 1. For level 2 and 3 the product, industrial or the multi sector (IMU) can be selected. For level 3 the sector for the level 2 certificate are continued.

The examinations for UT, RT and ET are primarily done as multi-sectorial (IMU) for level 1. For level 2 the product or the industrial sectors can be selected. For level 3 the multi-sector can be selected if based on a level 2 certificate in sector IMA or IPI, otherwise the sector for the level 2 certificate are continued.

The examinations may be restricted to certain

types of specimens, test method, product or industrial sectors provided the restricted qualification is clearly stated on the certificate, e.g. UT level 1, industrial sector IMA or MT level 2, product sector w, limited to yoke magnetisation.

New or addendum sectors (e.g. Phased Array or Digital radiography) can be added to an existing certificate level 2, provided that a supplemental examination corresponding to an additional sector are completed. All new or addendum sectors must be approved by TG NDT prior to examination.

4.3 Detailed examination requirements, level 1 and 2

4.3.1 General examination:

Required number of multiple choice question for the general examination are:

Method	Number of questions
MT, PT, LT, VT	30
ET, UT, RT	40

4.3.2 Specific examination:

Required number of question for the specific examination are:

- For one product sector: 20 questions
- For 2 or more product sectors: 30 questions, at least 20 of these questions must be multiple choice questions.
- For industrial and multi sectors: 30 questions, at least 20 of these questions must be multiple choice questions.

4.3.3 Practical examination

Number of specimens for product and industrial sectors are described below. For combination of 2 or more sectors, the requirements are outlined in the Handbook.

4.3.3.1 Number of specimen Product Sectors

Method	Sec-tor	Le-vel	Number of Speci-mens	Max. dura-tion (hr)
All	All	1	2	3
ET, MT, PT, VT	All	2	3	3
RT	All	2	(1-2)* +18rs	(1-2)* +2,5
UT	All	2	3	6

*RT level 2 shall radiograph 2 volumes, except for

candidates holding a level 1 certificate, where 1 volume is to be done by radiography. Allowed time for each volume is 1 hour.

Required number of test specimens and allocated time for the practical examination in product sectors in table above:

4.3.3.2 Number of specimen Industrial and multi sectors

Required number of test specimens and allocated time for the practical examination in industrial sectors:

Me-thod	Sec-tor	Le-vel	Number of Specimens	Max. dura-tion (hr)
ET, MT, PT, VT	All	1	3	3
UT, RT	All	1	3	5
MT, PT, VT	IMU, IPI, IMA	2	5	5
MT, PT, VT	IRM, IAE	2	4	4
ET	IPI, IMA	2	5	5
ET	IRM, IAE	2	4	4
UT	IPI, IMA	2	6	12
UT	IRM, IAE	2	4	8
RT	IPI, IMA	2	(1 -2)* +30rs**	(1-2)* +3,5
RT	IRM, IAE	2	(1-2)*+18rs	(1-2)* +2,5

*RT level 2 shall radiograph 2 volumes, except for candidates holding a level 1 certificate, where 1 volume is to be done by radiography. Allowed time for each volume is 1 hour.

**RT level 2: 30 radiographs, whereas 6 must be castings

4.4 Detailed examination requirements, level 3:

In the EN ISO 9712/Nordtest scheme the number of questions in level 3 basic examinations shall be as follows:

Part	Number of questions	Subject
A	25	Materials, manufacturing, processes and defects
B	20	EN ISO 9712 and DOC GEN 010 (open book)
C	60	Among the methods (ET, LT, MT, PT, RT, UT and VT) RT or UT are mandatory

For MT, PT, LT and VT the sector for the level 2 certificate are continued.

For UT, RT and ET the multi-sector can be selected if based on a level 2 certificate in sector IMA or IPI (full examination without any limitations), otherwise the sector for the level 2 certificate are continued,

4.5 Conduct of examinations

In order to address the examiners legal capacity, the candidate's examination papers can be anonymised before grading.

5. Recertification

The specific examination is a part of the recertification at level 1 and 2, with the same number of questions as required for the initial examination.

For the practical examination the number of specimens and allotted time will be half of the numbers required for the initial examination (all numbers rounded upwards). For RT, the number of radiographs must be an integer of 6.

6. Transition of certificates to new system

All EN 473/Nordtest certificates are valid until end of validity period of the certificates. EN 473/Nordtest certificates will be substituted by EN ISO 9712/Nordtest certificates when renewal or recertification is required.

A table for transition of old system (**Nordtest Doc Gen 010 4th Edition**) to new system is listed below. The sectors will be introduced at renewal of certificates.

Old sectors			New sectors
Level	Sector	Method	
1	9	All	IMU (comprises all sectors)
2	9	All	IMU (comprises all sectors)
2	1	All	c
2	2	All	f
2	3	All	w
2	4	All	t
2	5	All	wp
2	6	All	IMA (comprises c, f, t and wp)
2	7	MT/PT/VT/LT	IPI (comprises w, t and wp)
2	7	RT/UT	w + t + wp
2	7	ET	w + t + wp
2	6 + 7 / 6 + 3	ET	IMA or IPI (comprises c, f, w, t and wp)
2	7 + 1	RT/UT	IMA or IPI (comprises c, f, w, t and wp)
3	9	All	IMU (comprises all sectors)

Transition of other combinations of sectors will be determined by the certification body.

All EN473/Nordtest certificates are valid until to the end of validity periods of the certificates. EN473/Nordtest certificates will be substituted by EN ISO 9712/Nordtest certificates when renewal or recertification is required.

7. Code of ethics

Individuals certified according to this Nordtest Doc Gen 010 shall recognize the precepts of personal integrity and professional competence according to international principles. Accordingly, certified individuals:

1. shall pursue their professional discipline and activities in a spirit of fairness to all concerned — employer, employees, customers and competitors — consistent with the high ideals of personal honour and integrity.

2. shall perform their work in the highest professional manner, protecting the life, safety and health of their associates and of the general public.
3. shall in no circumstances perform their work influenced by drugs, alcohol, sedative medicine etc.
4. shall undertake only those measurements and analysis for which they are competent by virtue of their training and experience and certification
5. shall treat as confidential their knowledge of any business affairs or technical information of employers, clients or customers and to make no disclosure of such information without their express consent.
6. shall refrain from making unjustified statements or from performing unethical acts which would discredit the certification programme based on this Nordtest Doc Gen 010,
7. shall avoid conflicts of interest with any employer or client and, if any such conflicts should arise in the performance of work, shall inform the affected persons and/or client promptly of the circumstances which might influence their fair judgment
8. shall maintain and improve their competence and undertake technological tasks for others only if qualified by training or expertise and after full disclosure of pertinent limitations.

8.Claim handling procedure

Appeals and complaints received from applicants, candidates, certified persons and their employers, and other parties about the certification process and criteria, as well as policies and procedures for the performance of certified persons shall in Nordtest Scheme be resolved independently, in an unbiased manner.

The Certifying body is responsible for following the procedures for claims and appeals and to secure that the decisions are followed as decided.

8.1 The complaint

The complain is handled as follows:

1. The Certification body appoints one or more competent and impartial persons to handle the complaint. The person or group of persons may be from own organisation or consist of external persons.
2. The appointed persons handle the complaints impartially by viewing all relevant information available and a report is created describing the complaint, the procedure, the evaluation and the conclusion.
3. The reports is sent to the Certification Body.
4. The Certification Body distributes the report to the involved parties. The complainer is informed about his/her right to appeal.

8.2 The appeal

The appeal is handled as follows:

1. The complainer may appeal the decision within 14 days to the Advisory (governing) Board (addressed to the Certification Body)
2. The Advisory (governing) Board shall handle the appeal within 4 weeks (28 days), from the day the appeal is received.
3. The Certification Body shall make all relevant papers and reports available for the Advisory (governing) Board
4. Following a decision in the Advisory (governing) Board, the Certification Body distributes the report to the involved parties.

9. Valid documents

NORDTEST DOC GEN 010, six'th edition,
Handbook for Nordtest certification bodies, six'th edition

CEN ISO/TR 25107:2006 Non-destructive testing - Guidelines for NDT training syllabuses

CEN ISO/TR 25108:2006 Non-destructive testing – Guidelines for NDT personnel training organizations

EA 04/15 Accreditation For Non-Destructive Testing

EA-2/17 Guidance on the horizontal requirements for the accreditation of conformity assessment bodies for notification purposes

EN ISO/IEC 17024:2012 Conformity assessment. General requirements for bodies operating certification of persons

EN ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories

EN ISO 9712:2012 Non-destructive testing – Qualification and certification of personnel